

दिनांक /Dated: 02-08-2025





# बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details		
बिड बंद होने की तारीख/समय /Bid End Date/Time	23-08-2025 15:00:00	
बिड खुलने की तारीख/समय /Bid Opening Date/Time	23-08-2025 15:30:00	
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	60 (Days)	
मंत्रालय/राज्य का नाम/Ministry/State Name	Delhi	
विभाग का नाम/Department Name	Higher Education Department Delhi	
संगठन का नाम/Organisation Name	Indraprastha Institute Of Information Technology (iiit)	
कार्यालय का नाम/Office Name	liit Delhi Okhla Ph - lii New Delhi	
कुल मात्रा/Total Quantity	13	
वस्तु श्रेणी /Item Category	Layer 2 Access Switch (V2) (Q2) , Servers (V2) (Q2)	
वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience	Yes   Complete	
वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Years Of Experience	Yes   Complete	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria, Certificate (Requested in ATC), OEM Authorization Certificate, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)	
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	1	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7	

बिड विवरण/Bid Details	
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Servers (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	HDFC Bank
ईएमडी राशि/EMD Amount	500000

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	HDFC Bank
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	36

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance securityshould be in favour of Beneficiary, wherever it is applicable.

#### लाभार्थी /Beneficiary :

**IIIT-Delhi Collections** 

liit Delhi Okhla Ph - Iii New Delhi, Higher Education Department Delhi, Indraprastha Institute of Information Technology (IIIT),

(liit-delhi Collections)

#### विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

#### एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	No

# एमआईआई खरीद वरीयता/MII Purchase Preference

Г			1
	एमआईआई खरीद वरीयता/MII Purchase Preference	No	

- 1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
- 2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
- 3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
  - i. If number of technically qualified bidders are only 2 or 3.
  - ii. If Buyer has chosen to split the bid amongst N sellers, and  ${\rm H1}$  bid is coming within N.
  - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
  - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
  - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

## Layer 2 Access Switch (V2) (1 pieces)

#### तकनीकी विशिष्टियाँ /Technical Specifications

#### \* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Specification	Type of Switch	Managed, Un Managed, Web Managed
	Technology	PoE, Non PoE, PoE+, UPoE
	Number of 1G Copper Ports	8, 12, 16, 24, 48, 52, 0, 5
	Number of 10G Copper Ports	48.0 Or higher
	Multi-Gigabit Support	Yes, No

विवरण/Specification विशिष्टि का नाम /Specification Name		बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)	
		Available, Not Available, Supported and Part of Supply, Supported	
	On Site OEM Warranty	1 Year, 3 Year, 5 Year	

### Additional Specification Parameters - Layer 2 Access Switch (V2) ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)	
ports and speed	Switch should have 48x 25Gb SFP28 ports	
form factor	Switch should be 1 U rack mountable in server rack	
power supply	Switch should have a hot swappable 1:1 redundant power supply and redundant fan.	
power connector	Cables such as power cables for C-19 socket, the Offered System must not be End of Life, End of support, End of Sale.	
warranty	3 Years Comprehensive (onsite, Parts, labour) warranty, supplied switch should have at least 20 (twenty) DAC connectivity 3 meter cables to connect the server	

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

## परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	AJAY KUMAR	110020,Okhla Industrial Estate , Phase - III, New Delhi	1	60

# Servers (V2) (12 pieces)

## तकनीकी विशिष्टियाँ /Technical Specifications

# \* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Chassis	Description of Stores	Server with standard 1 year warranty
	Form Factor	Rack
	Size (RU)	2
Processor and Motherboard	Number of Sockets Available on the Server	2, 4 Or higher
	Processor Number	

विवरण/Specification	विशिष्टि का नाम /Specification	AMD EPYC 4124P, AMD EPYC 4244P, AMD EPYC 7251, AMB EPYC 2819, AMB EPYC 4223 / Bid Me quire ment,
, =	Name	AMD EPYC 7262, AAIDOWP&C VALUEAMD EPYC 7203P,
		AMD EPYC 7203, AMD EPYC 72F3, AMD EPYC 4344P,
		AMD EPYC 4364P, AMD EPYC 8024P, AMD EPYC
		8024PN, AMD EPYC 9015, AMD EPYC 7272, AMD EPYC
		4464P, AMD EPYC 4484PX, AMD EPYC 7281, AMD
		EPYC 7351P, AMD EPYC 7301, AMD EPYC 7351, AMD
		EPYC 7371, AMD EPYC 7282, AMD EPYC 7302P, AMD
		EPYC 7302, AMD EPYC 7303P, AMD EPYC 7303, AMD   EPYC 73F3, AMD EPYC 7373X, AMD EPYC 734332,
		AMD EPYC 7313P, AMD EPYC 7313, AMD EPYC
		4584PX, AMD EPYC 9115, AMD EPYC 9135, AMD EPYC
		9175F, AMD EPYC 8124P, AMD EPYC 8124PN, AMD
		EPYC 9124, AMD EPYC 9174F, AMD EPYC 9184X, AMD
		EPYC 7F52, AMD EPYC 7401P, AMD EPYC 7401, AMD
		EPYC 7451, AMD EPYC 7352, AMD EPYC 7402P, AMD
		EPYC 7402, AMD EPYC 7F72, AMD EPYC 74F3, AMD
		EPYC 7473X, AMD EPYC 7443P, AMD EPYC 7443, AMD
		EPYC 7413, AMD EPYC 8224P, AMD EPYC 8224PN,
		AMD EPYC 9224, AMD EPYC 9254, AMD EPYC 9274F,
		AMD EPYC 9255, AMD EPYC 9275F, AMD EPYC 7453,
		AMD EPYC 7551P, AMD EPYC 7551, AMD EPYC 7501,
		AMD EPYC 7601, AMD EPYC 7452, AMD EPYC 7502P,
		AMD EPYC 7532, AMD EPYC 7502, AMD EPYC 7542, AMD EPYC 75F3, AMD EPYC 7573X, AMD EPYC 7543P,
		AMD EPYC 7543, AMD EPYC 7513, AMD EPYC 8324P,
		AMD EPTC 7343, AMD EPTC 7313, AMD EPTC 8324P,  AMD EPYC 8324PN, AMD EPYC 9354P, AMD EPYC
		9334, AMD EPYC 9354, AMD EPYC 9374F, AMD EPYC
		9384X, AMD EPYC 9335, AMD EPYC 9355P, AMD EPYC
		9355, AMD EPYC 9375F, AMD EPYC 9365, AMD EPYC
		7552, AMD EPYC 7642, AMD EPYC 7643P, AMD EPYC
		7643, AMD EPYC 8434P, AMD EPYC 8434PN, AMD
		EPYC 9454P, AMD EPYC 9454, AMD EPYC 9474F, AMD
		EPYC 9455P, AMD EPYC 9455, AMD EPYC 9475F, AMD
		EPYC 7663, AMD EPYC 7663P, AMD EPYC 7702P, AMD
		EPYC 7662, AMD EPYC 7702, AMD EPYC 7742, AMD
		EPYC 7713P, AMD EPYC 7713, AMD EPYC 9734P, AMD
		EPYC 7713P, AMD EPYC 7713, AMD EPYC 8534P, AMD EPYC 8534PN, AMD EPYC 9554P, AMD EPYC 9534,
		AMD EPYC 9554, AMD EPYC 9535, AMD EPYC 9555P,
		AMD EPYC 9555, AMD EPYC 9575F, AMD EPYC 9565,
		AMD EPYC 9634, AMD EPYC 9654P, AMD EPYC 9654,
		AMD EPYC 9684X, AMD EPYC 9655P, AMD EPYC 9645,
		AMD EPYC 9655, AMD EPYC 9734, AMD EPYC 9754S,
		AMD EPYC 9754, AMD EPYC 9745, AMD EPYC 9755,
		AMD EPYC 9825, AMD EPYC 9845, AMD EPYC 9965,
		Intel Xeon Silver 4310, Intel Xeon Gold 6312U, Intel
		Xeon Gold 6314U, Intel Xeon Platinum 8351N, Intel
		Xeon E-2314, Intel Xeon E-2324G, Intel Xeon E-2334,
		Intel Xeon E-2374G, Intel Xeon E-2336, Intel Xeon
		Gold 6238T, Intel Xeon E-2356G, Intel Xeon E-2434, Intel Xeon E-2386G, Intel Xeon E-2378, Intel Xeon E-
		2378G, Intel Xeon E-2388G, Intel Xeon Gold 6226,
		Intel Xeon E-2436, Intel Xeon E-2456, Intel Xeon E-
		2486, Intel Xeon E-2468, Intel Xeon E-2478, Intel Xeon
		E-2488, Intel Xeon E-2414, Intel Xeon Gold 6334, Intel
		Xeon Silver 4309Y, Intel Xeon Gold 5315Y, Intel Xeon
		Silver 4310T, Intel Xeon Silver 4509Y, Intel Xeon Gold
		5415+, Intel Xeon Silver 4216, Intel Xeon Gold 6434,
		Intel Xeon Gold 5218N, Intel Xeon Gold 5218T, Intel
		Xeon Gold 5515+, Intel Xeon Gold 5515+, Intel Xeon
		Gold 6534, Intel Xeon Gold 5317, Intel Xeon Gold
		6230N, Intel Xeon Gold 6230, Intel Xeon Gold 6434H,
i l	I	II .

वेवरण/Specification	विशिष्टि का नाम /Specification	Intel Xeon Silver 4410T, Intel Xeon Silver 4209T, Intel Xeon Silver 42
	Name	Silver 4510, Intel <b>(Allowed) Values)</b> Intel Xeon Gold
		5512U, Intel Xeon Gold 5220T, Intel Xeon Silver
		4410Y, Intel Xeon Silver 4314, Intel Xeon Gold 6326,
		Intel Xeon Silver 4214, Intel Xeon Silver 4514Y, Intel
		Xeon Silver 4210, Intel Xeon Silver 4316, Intel Xeon
		Gold 5320T, Intel Xeon Gold 6238R, Intel Xeon Gold
		6346, Intel Xeon Gold 5416S, Intel Xeon Gold 5318N,
		Intel Xeon Gold 6354, Intel Xeon Gold 5318Y, Intel
		Xeon Gold 6248, Intel Xeon Gold 6330N, Intel Xeon
		Gold 5320, Intel Xeon Gold 6330, Intel Xeon Platinum
		8356H, Intel Xeon Gold 6426Y, Intel Xeon Gold 5215,
		Intel Xeon Platinum 8444H, Intel Xeon Gold 6416H,
		Intel Xeon Silver 4416+, Intel Xeon Gold 6526Y, Intel
		Xeon Gold 6342, Intel Xeon Gold 5418N, Intel Xeon
		Gold 6544Y, Intel Xeon Gold 6444Y, Intel Xeon Gold
		6338N, Intel Xeon Gold 6348, Intel Xeon Gold 6348,
		Intel Xeon Gold 5418Y, Intel Xeon Platinum 8352S,
		Intel Xeon Silver 4516Y+, Intel Xeon Platinum 8352V
		Intel Xeon Platinum 8352M, Intel Xeon Platinum
		8352Y, Intel Xeon Gold 5318H, Intel Xeon Platinum
		8353H, Intel Xeon Gold 6328H, Intel Xeon Gold
		6328HL, Intel Xeon Platinum 8358P, Intel Xeon
		Platinum 8358, Intel Xeon Gold 6418H, Intel Xeon
		Gold 6530, Intel Xeon Gold 5420+, Intel Xeon Gold
		5320H, Intel Xeon Gold 6554S, Intel Xeon Platinum
		8450H, Intel Xeon Gold 6428N, Intel Xeon Platinum
		8360Y, Intel Xeon Platinum 8362, Intel Xeon Silver
		4215, Intel Xeon Gold 5520+, Intel Xeon Gold 6442Y
		Intel Xeon Gold 6542Y, Intel Xeon Gold 6430, Intel Xeon Gold 6330H, Intel Xeon Platinum 8368, Intel
		Xeon Gold 6438N, Intel Xeon Gold 6438M, Intel Xeon
		Gold 6438Y+, Intel Xeon Platinum 8454H, Intel Xeon
		Gold 6538N, Intel Xeon Silver 4210T, Intel Xeon Silver
		4215R, Intel Xeon Silver 4210R, Intel Xeon Gold
		6454S, Intel Xeon Gold 6348H, Intel Xeon Platinum
		8380, Intel Xeon Platinum 8368Q, Intel Xeon Platinum
		8354H, Intel Xeon Gold 6448Y, Intel Xeon Gold
		6538Y+, Intel Xeon Platinum 8558, Intel Xeon Gold
		6548N, Intel Xeon Platinum 8558P, Intel Xeon Gold
		6548Y+, Intel Xeon Platinum 8360H, Intel Xeon
		Platinum 8360HL, Intel Xeon Platinum 8376H, Intel
		Xeon Platinum 8452Y, Intel Xeon Gold 6448H, Intel
		Xeon Platinum 8376HL, Intel Xeon 6710E, Intel Xeon
		Silver 4214R, Intel Xeon CPU Max 9462, Intel Xeon
		6730P, Intel Xeon Platinum 8562Y+, Intel Xeon
		Platinum 8462Y+, Intel Xeon CPU Max 9460, Intel
		Xeon Gold 6458Q, Intel Xeon Gold 6558Q, Intel Xeon
		Platinum 8460Y+, Intel Xeon Platinum 8380H, Intel
		Xeon CPU Max 9468, Intel Xeon Gold 6226R, Intel
		Xeon Platinum 8460H, Intel Xeon CPU Max 9470, Int
		Xeon CPU Max 9480, Intel Xeon Platinum 8458P, Intel
		Xeon Gold 6230R, Intel Xeon Platinum 8468V, Intel
		Xeon Platinum 8470N, Intel Xeon Platinum 8468H,
		Intel Xeon Platinum 8468, Intel Xeon Platinum 8470,
		Intel Xeon 6740P, Intel Xeon Platinum 8568Y+, Intel
		Xeon 6741P, Intel Xeon Platinum 8570, Intel Xeon
		Platinum 8470Q, Intel Xeon 6746E, Intel Xeon
		Platinum 8592V, Intel Xeon Platinum 8480+, Intel
		Xeon 6740E, Intel Xeon Platinum 8490H, Intel Xeon
		6747P, Intel Xeon Platinum 8580, Intel Xeon 6756E,
		Intel Xeon Platinum 8593Q, Intel Xeon Platinum
		8592+, Intel Xeon 6766E, Intel Xeon 6760P, Intel Xeo
		II 0552T, IIILEI AEUII 0700L, IIILEI AEUII 0700F, IIILEI AE

Graphic Processing lady / Specification Unit (GPU)	Gरिक्किशिक्तCarral /Syzekaifiidattyion Name	6761P, Intel Xeon 6767P, Intel Xeon 6780E, Intel Xeon ਨੂੰ ਉੱਡੀ ਸਾਹਿਬ ਦੇ ਸਾਹਿਬ ਸਨ, ਕਸਤਾ / Bid Requirement (Allowed Values)	
Memory	Type of RAM	DDR4 with ECC, DDR5 with ECC Or higher	
	Total Memory (RAM) Size Installed (in GB)	16, 32, 64, 128, 256, 512, 1024, 2048, 4096 Or higher	
SSD Storage	Type of Interface for SSD	SATA-SSD, SAS-SSD, M.2/NVMe-SSD, Not Applicable	
HDD Storage	Type of Interface for Hard Disk Drive (HDD)	SATA-HDD, SAS-HDD, NL SAS-HDD, Not Applicable	
Software	Certifications Compliance (Operating System)	Windows, Linux	

## Additional Specification Parameters - Servers (V2) ( 12 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)	
Processor and Motherboard and RAM	2 x Intel® Xeon® Gold 6530 Processor (160M Cache, 2.10 GHz), Core 32, (Total 64 threads) or Equivalent AMD processor and Appropriate Motherboard and chipset and 256 GB DDR5 4800 MHz ECC R-DIMM extendable upto 1 TB	
SDD(s) and HDD	2x 1.92TB Nvme /SSD in RAID 1 and 1x 7.68 TB SATA SSD, Total 12 SSD Bays	
PCI Slot(s) and GPU card	1 x Nvidia A6000 ADA GPU, It should support installation of 2 x A6000 ADA GPUs cards and At least 4x PCI-e 5.0 X16 Expansion slot and there must be enough space between PCI-E slots to accommodate all GPUs cards	
Raid Controller and I/O ports (onboard)	Hardware Raid Controller with 1GB Cache, Supporting RAID levels 0,1,5,6,10,50,60 and At least: 2x USB 2.0/3.0,1xVGA, Dual 25G SFP28 Ports, 1 Gbps LAN ports	
Power Supply and Form Factor and Warranty	Redundent (n+n) Appropriate energy efficient PSU to support all configuration including GPUs. (Please specify offered PSU model), and 2U form factor with 3 Years Comprehensive (onsite, Parts, labour) warranty	

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

# परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती / रिपोर्टिंग अधिकारी / Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	AJAY KUMAR	110020,Okhla Industrial Estate , Phase - III, New Delhi	12	60

# Special terms and conditions-Version:1 effective from 11-07-2025 for category Servers (V2)

1.

1	Warranty	The buyer may add warranty requirement while creating the bid		
1/	Storage Capacity	<ol> <li>Buyer may add their requirement of retention of securely store all Hard Disk Drives (HDDs) or Solid-State Drives (SSDs) used in the Server under ATC clause.</li> <li>The total installed capacity can be calculated by multiplying the number of populated slots for each type of drive by the capacity of each drive. However, if the buyer requires multiple SSDs or HDDs of different capacities, the buyer should mention a detailed breakdown of the requirement in the 'Additional Parameters' section of the bid.</li> </ol>		
3	Compatible with	Buyer may include the names of applications or programs under the buyer added ATCs for which the Server's configuration is required to support such applications or programs		
For	For Seller			
4	extended producer's responsibility	With effect from 1.4.23, as per the E-waste rules 2022, EPR registration is mandatory for manufacturing entities. Therefore, all OEMs shall hold valid EPR registration, and the registration number should be reflected in the catalog parameter. OEMs shall ensure compliance with all responsibilities as per EPR registration applicable from time to time.		
רו		It shall be the responsibility of OEMs to ensure that supplies are made with genuine operating systems.		
		The seller shall ensure that the Server is compatible with the applications specified by the buyer. Requisite documents confirming compatibility from the application provider must be furnished upon request by the buyer.		

# क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

#### 1. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export

- experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
- 15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
- 16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

यह बिंड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---