



F.no- IIITD/Bldg Proj/Civil/2022/436 Part file

Dated: 06.04.2026

NOTICE INVITING QUOTATION (NIQ-10/2026)

Sealed item rate quotations are invited in **two** envelop system for the following work on behalf of the Registrar IIIT Delhi from Eligible Contractors for **NIQ for Supply, Installation and Erection of Precast RCC Wall for Green waste Pit at IIITD Campus** so as to reach the office of the undersigned upto 3PM on **13th April 2026** to be opened on the same day at **3:30 PM**, in the office of the EE(C), A- 201 2nd Floor of Academic Block, IIIT-D Campus, Okhla Phase-III New Delhi-110020 in presence of the intending bidders who so wish to attend.

Earnest Money Deposit: Rs 2,920/- (Rupees Two Thousand Nine Hundred Twenty only) is to be submitted with document as earnest money in favour of “**IIIT Delhi Collections**” (except for those who are exempted by MSME & NSIC certifications (with Proof)) failing shall be treated as invalid and shall be liable for rejection. This will be enclosed in **Envelope- I**.

1. The works shall be carried out as per the relevant CPWD / BIS Standards and Terms and conditions, Specifications, BOQ and areas/locations as directed complete.
2. **Time Allowed:** 01 Month from issue of work order.
3. Schedule of quantity: As per enclosed BOQ.
4. Clause 12 of GCC CPWD is applicable for EI/SI.
5. Contractor must visit site before quoting and fully satisfy himself of the site conditions. No Compensation on account of any site difficulties will be entertained, at a later date, after award of the work.
6. Contractor must possess valid GST, PAN and TIN no.
7. No T&P shall be issued to the Contractor. The contractor shall be provided with electricity and water at one point, he shall make his own arrangements for further distribution of electricity, water supply and all other labour, tools, plant and equipment etc as required for the works complete. Any damage done to existing walls /ceiling /floors /electrical /fire alarm/ fighting/plumbing equipment /building during execution shall be on the part of the Contractor.
8. **Eligibility Criteria:** The agencies must have satisfactory executed Civil works in Govt Depts/PSU/Reputed Pvt sector /MNCs a three works each of value of Rs 0.58 Lac or two works each of value 0.88 Lac or one work of value 1.17 Lac during last 5 years to submit the experience certificates/work orders for the works and registration certificates with Govt. Depts. if any. The applications not supported with requisite experience certificates shall not be entertained.
9. The priced bill of quantities, all duly signed by the authorized signatory of the firms. This will be



enclosed in **Envelope- II.**

10. Payment shall be made as per actual quantities of executed works against RA/Final bill at all locations as directed.
11. Defect Liability period 12 months from date of completion.
12. Security Deposit / Retention money shall be Two and Half percent (2.5%) of the value of executed works and will be deducted from each and every payment made to the contractor against running account bill submitted for the work done at site. retention money will be released with Employer until the Defects Liability period is successfully over.
13. Conditional offers will not be accepted. The offer shall remain valid for 60 days. The rates shall remain firm for a period of one year from date of award. The work order may be extended to cover additional areas at same rates as per institute requirements. No variation in rates shall be applicable.
14. Contractor should depute a qualified supervisor dedicated for this work, who will monitor and coordinate work from contractor's side and interact with the IIITD Engineers, responsible for supervision of work, on regular basis.
15. Rates to quoted are inclusive of all taxes, duties, cartage, loading unloading and shifting to location as called for
16. Contractor will take due permission for entry of all his workers in IIITD. No unauthorized person will be allowed to work inside.
17. During execution of work, Engineer may make minor changes in the scope of work as per site conditions or other reasons. Contractor will have no extra claim in his rates for the same.
18. All are supposed to use identified utilities of the Institute only.
19. The agency will seek prior approval of security guard and accompany by caretaker/guard for any work in the ladies' toilets/washrooms/restrooms.
20. Clarification/Queries, if any, can Be addressed to- Email ID: admin-project@iiitd.ac. in phone no01126907563/564/565, 011- 71985363/ 9773793610
21. IIIT-D reserves the right to accept or reject any tender in part or whole without assigning any reasons thereof.

EE(C)



BOQ

S.no.	Item Description	Unit	Quantity	Rate	Amount
1.)	<p>Providing and constructing RCC prestressed precast wall for green waste pit up to 2.10 m height using 50 mm thick prestressed concrete panels supported by prestressed precast RCC columns of size 150 mm × 150 mm with the following detailed specifications:</p> <p>1.) Precast RCC Poles (Columns) : The size of the pole used in the RCC wall shall be 150 mm × 150 mm. The pole height shall be up to 2.10 m above ground level. Each pole shall be reinforced with 7 numbers of 3 mm diameter high carbon steel wires. The precast RCC pole shall be embedded into the concrete foundation block up to the required depth of 500mm to ensure proper stability. The distance between two poles is 2.1m.</p> <p>2.) Precast RCC Panels The RCC wall panels shall be of size 2.10 m × 0.30 m × 0.05 m. Each panel shall be reinforced with 4 numbers of 3 mm diameter high carbon steel wires.</p> <p>3.) Foundation The foundation for the poles shall be cast below ground level as per site conditions with a foundation size of 500 mm × 500mm x 500 mm, using M20 grade concrete.</p> <p>4.) Groove Finishing After fixing the panels into the grooves of the RCC poles, the grooves on both sides of the wall shall be finished with cement paste.</p> <p>5.) Joint Finishing All panel joints shall be neatly packed and finished with cement mortar on both sides of the compound wall, as directed by the Engineer-in-Charge.</p> <p>6.) Dressing and Levelling Clearing, dressing and levelling of green waste pit area to required formation level, including removal of undulations, minor cutting and filling, disposal of surplus earth within site premises, and proper compaction, complete as directed by the Engineer-in-Charge. (Plot Area 20m x6m)</p> <p>7.) Concrete Grade and Curing The precast posts and slab panels shall be made of M25 grade concrete and shall be erected only after allowing a minimum curing period of 15 days.</p>	RMT	52		
	Total Amount				
	GST@18%				
	Total Amount with GST				

Note:

- The vendor must submit and obtain approval of the sample before execution.
- All rate to be inclusive cost of Transportation, Labour, Materials etc. as required for satisfactory completion of work.