



F.No: IIITD/Bldg Proj/civil work/2014/24

Dated : 12/12/2014

NOTICE INVITING QUOTATION

Sealed item rate quotations are invited for the following work on behalf of the Registrar IIIT Delhi from Eligible Contractors for **Civil Work at Ground floor at Library Block**, so as to reach the office of the undersigned upto 3PM on 19/12/2014 in two envelopes to be opened on the same day at 4:00 PM, in the office of the M(P), Service Block, IIIT-D Campus, Okhla Phase-III New Delhi-110020 in presence of the intending bidders who so wish to attend.

Estimated Cost : **Rs 1.9 lacs**

EMD : **Rs 3,800/- (Three Thousand Eight Hundred only) in form of DD payable in favour of IIIT Delhi Collections.**

1. The works shall be carried out as per the relevant CPWD / BIS Standards and Terms and conditions, Specifications, BOQ and areas/locations as directed complete.
2. **Time Allowed:** 30 days from issue of work order.
3. Schedule of quantity: As per enclosed BOQ.
4. Clause 12 of GCC CPWD is applicable for EI/SI.
5. Contractor must visit site before quoting and fully satisfy himself of the site conditions.
6. Contractor must possess valid DVAT certificate ,TIN no.
7. No T&P shall be issued to the Contractor .The contractor shall be provided with electricity and water at one point ,he shall make his own arrangements for further distribution of electricity , water supply and all other labour ,tools, plant and equipment etc as required for the works complete. Any damage done to existing walls /ceiling /floors /electrical /fire alarm/ fighting/plumbing equipment /building during execution shall be on the part of the Contractor.
8. Eligibility Criteria: The agencies must have satisfactory executed three similar works in Govt Deptts/PSU/Reputed Pvt sector /MNCs each of value 40% of estimated cost or two works each of 60% of estimated cost or one work of 80% of estimated cost during last 5 years. The applications not supported with requisite experience certificates shall not be entertained.
9. The requisite certificates along with the EMD be enclosed in Envelope-A. The applications not supported with requisite experience certificates, valid DVAT certificate ,TIN no shall not be entertained .
10. The priced bill of quantities kept in Envelope-B ,all duly signed by the authorized signatory of the firms .
11. Payment shall be made as per actual quantities of executed works against Final bill.
12. Security deposit @5% shall be refunded after 6 months of completion.
13. Conditional offers will not be accepted. The offer shall remain valid for 30days.
14. IIIT-D reserves the right to accept or reject any tender in part or whole without assigning any reasons thereof.
15. This information can also be downloaded from <http://www.iiitd.ac.in/tenders>
16. Entire works of dismantling/refixing/new are to be coordinated with the HVAC contractors works/IIITD. No extra shall be payable on account of any delays on such accounts.

M(P)

CC: Registrar,
Director
Notice Board



Bill of Quantity

	Civil Works	Unit	Qty	Rate	Amount
1	Dismantling aluminum/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable surplus material and stacking of serviceable material within 50 meters lead as directed by Engineer-in-charge	Sqm	120		
2	Disposal of debris/ Malba of dismantled material out of the campus and handing over of false ceiling tiles to IIITD.	Lot.	Lot.		
3	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with . (a) 12.50 mm thick tapered edge gypsum plain board conforming to IS 2095 - Part I (Note :- This item does not include the cost of frame work and board to be fixed in the existing frame work):				
3.1	12.5 mm thick tapered edge gypsum plain board conforming to IS: 2095- Part I	Sqm	60		

**INDRAPRASTHA INSTITUTE OF INFORMATION TECHNOLOGY DELHI***(A state university established by Govt. of NCT of Delhi)*

Okhla, Phase III (Near Govind Puri Metro Station), New Delhi-110020, INDIA

Telephone: +91 11 26907563

Website: <http://www.iiitd.ac.in>

4	Providing and fixing suspended Mineral fibre grid ceiling system consisting tile, smokeless in sizes 600x600x15mm with regular edge for grids of nominal size laid on normal grid system with 15 mm wide T-Section flanges, main runners of size 15x28x0.27mm thick 3000mm long and T-section with double stitching cross runners 15x28x0.27mm thick 1200mm long to be interlocked between main runners at 600mm centers to form 1200x600mm modules, cut cross tee longer than 600mm to be supported independently 600x600mm modules to be framed by fitting cross tees centrally between the 1200mm cross tee and perimeter wall angle 14x14x0.3mm, 3000mm long. All exposed faces shall be suspended with hangers of G.I wire 4.00mm dia to be fixed by approved rawl plug, level adjusters and screws etc. all as per recommendations of manufacturer. The work includes provision for AC diffusers, grill, fire detection system/ Light fixtures involving bearing section or support parts on back of tile etc. all complete.	Sqm	120		
5	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	Sqm	65		
6	Dis tempering with oil bound of approved brand and manufacture (one or more coats) and of required shade on old work to give an even shade				
6.1	Old work (one or more coats)	Sqm	65		
7.1	Properly disconnecting ,Dismantling light fitting from ceiling including end connection etc. as required.	Nos	12		
7.2	Installation, testing and commissioning of Light fixture along with Completion of false ceiling works.	Nos	12		
8.1	Properly disconnecting ,Dismantling Smoke detector from ceiling including end connection etc. as required.	Nos	5		
8.2	Installation, testing and commissioning of Smoke detector	Nos	5		
9	Re-fixing of Diffuser of the tile.	Nos	4		
Total Amount (inclusive All Taxes, duties complete)					